


NEW STANDARD PART NUMBERS IN NUMERICAL ORDER










Whenever one illustration is shown for two or more NEW STANDARD PART NUMBERS, (as for example part numbers 260-, 262-, 263- and 264-, listed on page 300) this indicates that the part illustrated is typical in appearance to the others.

PARTS PRICE LIST










9-

PART NUMBER		NAME	LIST PRICE	DEALER NET	PREF. NET	PART NUMBER		NAME	LIST PRICE	DEALER NET	PREF. NET
NEW	OLD					NEW	OLD				
											
		1 - PLAIN HEX. HEAD BOLT (NC-3) Diameter-Thread-Length									
1-045		1/4" -20X5/16"	.03	2/.03	.02						
1-046	(13X343)	1/4" -20X3/8"	.03	2/.03	.02						
1-048	(13X501)	1/4" -20X1/2"	.03	10/.20	10/.25						
1-0412		1/4" -20X3/4"	.03	20/.40	20/.50						
1-0416	(13X402)	1/4" -20X1"	.04	10/.20	10/.25						
1-0420	(13X289)	1/4" -20X1-1/4"	.04	10/.20	10/.25						
1-0424	(13X404)	1/4" -20X1-1/2"	.05	4/.12	4/.15						
1-0428	(13X405)	1/4" -20X1-3/4"	.05	10/.25	10/.31						
1-0432	(13X406)	1/4" -20X2"	.06	4/.12	4/.15						
1-056	(13X510)	5/16" -18X3/8"	.03	2/.03	.02						
1-058	(13X511)	5/16" -18X1/2"	.04	20/.40	20/.50						
1-0512	(13X411)	5/16" -18X3/4"	.04	10/.20	10/.25						
1-0516	(13X413)	5/16" -18X1"	.04	15/.30	15/.38						
1-0520	(13X414)	5/16" -18X1-1/4"	.05	10/.25	10/.31						
1-0524		5/16" -18X1-1/2"	.05	10/.25	10/.31						
1-0528	(13X416)	5/16" -18X1-3/4"	.06	10/.30	10/.38						
1-0532	(13X417)	5/16" -18X2"	.06	4/.12	4/.15						
1-0540	(13X307)	5/16" -18X2-1/2"	.07	10/.35	10/.44						
1-0544	(13X309)	5/16" -18X2-3/4"	.08	.04	.05						
1-0552		5/16" -18X3-1/4"	.10	3/.15	3/.19						
1-0560		5/16" -18X3-3/4"	.12	2/.12	2/.15						
1-068	(13X524)	3/8" -16X1/2"	.05	5/.13	5/.16						
1-0612	(13X422)	3/8" -16X3/4"	.05	10/.25	10/.31						
1-0616	(13X424)	3/8" -16X1"	.05	10/.25	10/.31						
1-0620	(13X425)	3/8" -16X1-1/4"	.06	10/.30	10/.38						
1-0624	(13X426)	3/8" -16X1-1/2"	.07	10/.35	10/.44						
1-0632	(13X428)	3/8" -16X2"	.08	5/.20	5/.25						
1-0636	(13X429)	3/8" -16X2-1/4"	.08	5/.20	5/.25						
1-0640	(13X430)	3/8" -16X2-1/2"	.10	5/.25	5/.31						
1-0648	(13X432)	3/8" -16X3"	.12	2/.12	2/.15						
1-0664		3/8" -16X4"	.12	4/.24	4/.30						
1-0712		7/16" -14X3/4"	.07	2/.07	.05						
1-0716		7/16" -14X1"	.08	8/.32	8/.40						
1-0724	(13X437)	7/16" -14X1-1/2"	.10	4/.20	4/.25						
1-0740	(13X441)	7/16" -14X2-1/2"	.12	.06	.08						
1-0764	(13X447)	7/16" -14X4"	.20	.10	.13						
1-0816	(13X450)	1/2" -13X1"	.12	5/.30	5/.38						
1-0824	(13X315)	1/2" -13X1-1/2"	.14	2/.14	2/.18						
1-0836	(13X455)	1/2" -13X2-1/4"	.18	.09	.11						
1-0840		1/2" -13X2-1/2"	.18	10/.90	10/1.13						
1-0864		1/2" -13X4"	.20	.10	.13						
1-0920		9/16" -12X1-1/4"	.14	.07	.09						
1-0924	(13X465)	9/16" -12X1-1/2"	.14	5/.35	5/4.4						
		2 - HEX. HEAD BOLT, CARBON STEEL (NF-3) Diameter-Thread-Length									
2-0410	(11X120)	1/4" -28X5/8"	.03	10/.15	10/.19						
2-0416		1/4" -28X1"	.04	10/.20	10/.25						
2-0422		1/4" -28X1-3/8"	.04	.02	.03						
2-0512		5/16" -24X3/4"	.04	10/.20	10/.25						
2-0516		5/16" -24X1"	.05	10/.25	10/.31						
2-0524	(11X75)	5/16" -24X1-1/2"	.05	2/.05	.03						
2-0530		5/16" -24X1-7/8"	.06	.03	.04						
2-0540		5/16" -24X2-1/2"	.08	4/.16	4/.20						
2-0548		5/16" -24X3"	.08	.04	.05						
2-068	(11X204)	3/8" -24X1/2"	.05	2/.05	.03						
2-0612		3/8" -24X3/4"	.05	5/.13	5/.16						
2-0616		3/8" -24X1"	.05	8/.20	8/.25						
2-0624		3/8" -24X1-1/2"	.06	8/.24	8/.30						
2-0628		3/8" -24X1-3/4"	.07	8/.26	8/.33						
2-0640		3/8" -24X2-1/2"	.10	.05	.06						
2-0648		3/8" -24X3"	.12	5/.30	5/.38						
2-0656		3/8" -24X3-1/2"	.14	2/.14	2/.18						
2-0662		3/8" -24X3-7/8"	.15	.08	.10						
2-0664		3/8" -24X4"	.15	.08	.10						
2-0668		3/8" -24X5-1/2"	.20	.10	.13						
2-0716		7/16" -20X1"	.08	8/.32	8/.40						
2-0662		3/8" -24X3-7/8"	.15	.08	.10						
2-0664		3/8" -24X4"	.15	.08	.10						
2-0716		7/16" -20X1"	.08	8/.32	8/.40						
2-0724		7/16" -20X1-1/2"	.08	5/.20	5/.25						
2-0732		7/16" -20X2"	.10	5/.25	5/.31						
2-0740		7/16" -20X2-1/2"	.12	.06	.08						
2-0748		7/16" -20X3"	.15	4/.32	4/.40						
2-07104		7/16" -20X6-1/2"	.30	.18	.23						
2-0828		1/2" -20X1-3/4"	.14	5/.35	5/4.4						
2-0844		1/2" -20X2-3/4"	.18	.09	.11						
2-0948		9/16" -18X3"	.15	.09	.11						
2-0968		9/16" -18X4-1/4"	.20	.12	.15						
2-1018		5/8" -18X1-1/8"	.15	5/4.0	5/5.0						
		3 - HEX. HEAD BOLT, ALLOY STEEL (NC-3) Diameter-Thread-Length									
3-0644		3/8" -16X2-3/4"	.12	.07	.09						
3-0858		1/2" -13X3-5/8"	.15	.09	.11						
3-1058		Use 3-1060									
3-1060		5/8" -11X3-3/4"	.25	.15	.19						
		4 - HEX. HEAD BOLT, ALLOY STEEL (NF-3) Diameter-Thread-Length									
4-0644		3/8" -24X2-3/4"	.08	5/.25	5/3.1						
		7 - HEX. DRILLED HEAD BOLT (NC-3) Diameter-Thread-Length									
7-0716		7/16" -14X1"	.07	.04	.05						
7-0832		1/2" -13X2"	.18	.11	.14						
7-0848		1/2" -13X3"	.18	.11	.14						
7-0860		1/2" -13X3-3/4"	.20	.12	.15						
7-0876		1/2" -13X4-3/4"	.25	.15	.19						
		8 - HEX. DRILLED HEAD BOLT (NF-3) Diameter-Thread-Length									
8-0832		1/2" -20X2"	.15	.09	.11						
		9 - HEX. HEAD BOLT-CONE POINT (NC-3) Diameter-Thread-Length									
9-0876		1/2" -13X4-3/4"	.20	.10	.13						
9-08100		1/2" -20X6-1/4"	.40	.20	.25						














PARTS PRICE LIST

PART NUMBER		NAME	LIST PRICE	DEALER NET	PREF. NET	PART NUMBER		NAME	LIST PRICE	DEALER NET	PREF. NET
NEW	OLD					NEW	OLD				
10 - HEX. HEAD BOLT-CONE POINT (NF-3) Diameter-Thread-Length						55-#8-8 (55X16) No. 8-32X1/2" .01 20/.10 20/.13					
10-0756 7/16" -20X3-1/2" .15 5/.40 5/.50						55-#8-18 No. 8-32X1-1/8" .01 48/.24 48/.30					
10-0764 7/16" -20X4" .15 10/.80 10/1.00						55-#10-7 (55X123) No. 10-24X7/16" .01 20/.10 20/.13					
						55-#10-8 (55X21) No. 10-24X1/2" .01 48/.24 48/.30					
12 - HEX. HEAD BOLT WITH COTTER HOLE (NF-3) Diameter-Thread-Length						55-#10-16 (55X25) No. 10-24X1" .01 20/.10 20/.13					
12-0632 3/8" -24X2" .07 .04 .05						55-#10-24 (55X27) No. 10-24X1-1/2" .01 48/.24 48/.30					
12-0840 1/2" -20X2-1/2" .15 .09 .11						55-#10-32 (55X29) No. 10-24X2" .02 36/.36 36/.45					
12-0846 1/2" -20X2-7/8" .15 .09 .11						55-#12-8 (55X34) No. 12-24X1/2" .01 48/.24 48/.30					
12-0848 1/2" -20X3" .18 .11 .14						55-048 (55X140) 1/4" -20X1/2" .01 20/.10 20/.13					
						55-0416 (55X144) 1/4" -20X1" .02 48/.48 48/.60					
31 - HEX. HEAD MACHINE SCREW (NC-2) Diameter-Thread-Length						55-0448 (55X153) 1/4" -20X3" .05 4/.12 4/.15					
31-#10-10 No. 10-24X5/8" .02 .01 2/.03						55-0510 (55X166) 5/16" -18X5/8" .01 20/.10 20/.13					
31-0412 1/4" -20X3/4" .03 5/.10 5/.13						56 - ROUND HEAD MACHINE SCREW, STEEL (NF-2) Diameter-Thread-Length					
31-0512 5/16" -18X3/4" .03 .02 .03						56-#10-8 (55X197) No. 10-32X1/2" .01 40/.20 40/.25					
31-0544 5/16" -18X2-3/4" .08 4/.20 4/.25						56-#10-16 (55X210) No. 10-32X1" .02 20/.20 20/.25					
31-0656 3/8" -16X3-1/2" .10 2/.12 2/.15						56-#10-24 No. 10-32X1-1/2" .02 .01 .01					
						56-0412 1/4" -28X3/4" .02 10/.10 10/.13					
35 - CARRIAGE BOLT (NC-2) Diameter-Thread-Length						59 - ROUND HEAD SLOTTED SCREW-CONE POINT (NC-2) Diameter-Thread-Length					
35-0728 7/16" -14X1-3/4" .07 10/.40 10/.50						59-#12-28 No. 12-24X1-3/4" .03 .02 .03					
						59-#12-32 No. 12-24X2" .03 10/.20 10/.25					
41 - FILLISTER HEAD SLOTTED SCREW, STEEL (NC-2) Diameter-Thread-Length						73 - FLAT HEAD SLOTTED SCREW-CONE POINT (NC-2) Diameter-Thread-Length					
41-#6-3 (56X45) No. 6-32X3/16" .01 20/.10 20/.13						73-#12-32 No. 12-24X2" .03 20/.30 20/.38					
41-#8-8 (56X30) No. 8-32X1/2" .01 40/.20 40/.25											
41-#8-24 (56X109) No. 8-32X1-1/2" .01 40/.20 40/.25						83 - OVAL HEAD SLOTTED SCREW, STEEL (NC-2) Diameter-Thread-Length					
41-#12-8 (56X109) No. 12-24X1/2" .01 20/.10 20/.13						83-#12-8 No. 12-24X1/2" .02 10/.10 10/.13					
						83-0410 1/4" -20X5/8" .03 .02 .03					
55 - ROUND HEAD MACHINE SCREW, STEEL (NC-2) Diameter-Thread-Length						131 - CROSS RECESS FILLISTER HEAD SCREW (NC-2) Diameter-Thread-Length					
55-#6-8 (55X13) No. 6-32X1/2" .01 20/.10 20/.13						131-#8-7W No. 8-32X7/16" .03 10/.15 10/.19					
						131-#8-8W No. 8-32X1/2" .03 10/.15 10/.19					
56 - ROUND HEAD MACHINE SCREW, STEEL (NF-2) Diameter-Thread-Length						131-#12-24 No. 12-24X1-1/2" .04 10/.20 10/.25					
56-#10-8 (55X197) No. 10-32X1/2" .01 40/.20 40/.25											
56-#10-16 (55X210) No. 10-32X1" .02 20/.20 20/.25						145 - CROSS RECESS ROUND HEAD SCREW (NC-2) Diameter-Thread-Length					
56-#10-24 No. 10-32X1-1/2" .02 .01 .01						145-#8-8W (1524X2W) No. 8-32X1/2" .02 .01 .01					
56-0412 1/4" -28X3/4" .02 10/.10 10/.13						145-#10-10W (1524X4W) No. 10-24X5/8" .02 10/.10 10/.13					
						145-#12-10 No. 12-24X5/8" .02 10/.10 10/.13					

PARTS PRICE LIST












PART NUMBER		NAME	LIST PRICE	DEALER NET	PREF. NET	PART NUMBER		NAME	LIST PRICE	DEALER NET	PREF. NET
NEW	OLD					NEW	OLD				
											
		159 - CROSS RECESS FLAT HEAD SCREW (NC-2) Diameter-Thread-Length									
159-#6-7W		No. 6-32X7/16"	.02	.01	.01	193-#6-4		No. 6-32X1/4"	.01	50/.25	50/.31
						193-#8-6W		No. 8-32X3/8"	.02	10/.10	10/.13
						193-#8-24		No. 8-32X1-1/2"	.02	.01	.01
											
		163 - CROSS RECESS FLAT HEAD SCREW- CONE POINT (NC-2) Diameter-Thread-Length									
163-0516		5/16" -18X1"	.05	10/.25	10/.31						
											
		173 - CROSS RECESS OVAL HEAD SCREW (NC-2) Diameter-Thread-Length									
173-#8-18W		No. 8-32X1-1/8"	.02	20/.20	20/.25	202-0540		5/16" -24X2-1/2"	.07	5/.20	5/.25
173-#12-8		No. 12-24X1/2"	.02	20/.20	20/.25	202-0556		5/16" -24X3-1/2"	.10	.06	.08
173-#12-12		No. 12-24X3/4"	.02	20/.20	20/.25	202-0572		5/16" -24X4-1/2"	.15	.09	.11
						202-0630		3/8" -24X1-7/8"	.10	5/.30	5/.38
						202-0656		3/8" -24X3-1/2"	.12	4/.28	4/.35
						202-07132		7/16" -20X3-1/4"	.60	.36	.45
		174 - CROSS RECESS OVAL HEAD SCREW, STEEL (NF-2) Diameter-Thread-Length									
174-#10-16W (1523X7W)		No. 10-32X1"	.02	10/.10	10/.13						
174-0516		5/16" -24X1"	.03	10/.20	10/.25			203 - PLAIN STUD Diameter-Threads-Tap End and Nut End-Length			
											
		177 - CROSS RECESS OVAL HEAD SCREW-CONE POINT (NC-2) Diameter-Thread-Length									
177-#10-12W		No. 10-24X3/4"	.03	10/.20	10/.25	203-0520 (37X196)		5/16" -18-24X1-1/4"	.06	.04	.05
177-#10-20W		No. 10-24X1-1/4"	.03	.02	.03	203-0522 (37X167)		5/16" -18-24X1-3/8"	.06	.04	.05
		179 - CROSS RECESS OVAL HEAD SCREW STAINLESS STEEL (NC-2) Diameter-Thread-Length									
179-#8-12		No. 8-32X3/4"	.03	10/.20	10/.25	203-0523		5/16" -18-24X1-7/16"	.06	.04	.05
179-#8-18		No. 8-32X1-1/8"	.05	5/.15	5/.19	203-0622 (37X211)		3/8" -16-24X1-3/8"	.06	5/.20	5/.25
179-#8-20		No. 8-32X1-1/4"	.05	10/.30	10/.38	203-0624 (37X162)		3/8" -16-24X1-1/2"	.06	5/.20	5/.25
179-#8-24		No. 8-32X1-1/2"	.07	4/.16	4/.20	203-0627		3/8" -24X1-11/16"	.06	5/.20	5/.25
179-#8-32		No. 8-32X2"	.07	.04	.05	203-0631		3/8" -16-24X1-15/16"	.06	5/.20	5/.25
						203-0633 (37X212)		3/8" -16-24X2-1/16"	.06	5/.20	5/.25
						203-0652 (37X164)		(37X240)			
						203-0750		3/8" -16-24X3-1/4"	.15	.08	.10
								7/16" -14-20X3-1/8"	.17	.09	.11
											
		189 - TRUSS HEAD RECESSED MACHINE SCREW CONE POINT (UNC-2A) Diameter-Thread-Length									
189-0410		1/4" -20X5/8"	.04	10/.20	10/.25						
		193 - CROSS RECESS BINDING HEAD SCREW (NC-2) Diameter-Thread-Length									
193-#6-4		No. 6-32X1/4"	.01	50/.25	50/.31			209 - HEX. SOCKET HEAD CAP SCREW (NC-3) Diameter-Thread-Length			
193-#8-6W		No. 8-32X3/8"	.02	10/.10	10/.13	209-#10-16		No. 10-24X1"	.12	.07	.09
193-#8-24		No. 8-32X1-1/2"	.02	.01	.01						
		200 - SPRING CENTER BOLT (NF-2) Diameter-Thread-Length									
200-0664		3/8" -24X4"	.30	.18	.23			212 - SQUARE HEAD SET SCREW-ROUND POINT (NF-3) Diameter-Thread-Length			
200-07144		7/16" -20X9"	.65	.39	.49	212-0522		5/16" -24X1-3/8"	.05	4/.12	4/.15
		202 - SPRING CENTER BOLT (NF-2) Diameter-Thread-Length									
202-0540		5/16" -24X2-1/2"	.07	5/.20	5/.25						
202-0556		5/16" -24X3-1/2"	.10	.06	.08						
202-0572		5/16" -24X4-1/2"	.15	.09	.11						
202-0630		3/8" -24X1-7/8"	.10	5/.30	5/.38						
202-0656		3/8" -24X3-1/2"	.12	4/.28	4/.35						
202-07132		7/16" -20X3-1/4"	.60	.36	.45						

PARTS PRICE LIST








PART NUMBER		NAME	LIST PRICE	DEALER NET	PREF. NET	PART NUMBER		NAME	LIST PRICE	DEALER NET	PREF. NET
NEW	OLD					NEW	OLD				
											
		221 - HEX. SOCKET SET SCREW-CUP POINT (NC-2 & NC-3) Diameter-Thread-Length									
221-#10-4W		No. 10-24X1/4"	.12	4/.24	4/.30	255-06	(22X163) 3/8"-16	.02	10/.10	10/.13	
221-#10-7		No. 10-24X7/16"	.10	10/.50	10/.63	255-07	(22X164) Use 263-07				
											
		223 - HEX. SOCKET SET SCREW- CONE POINT (NC-2) Diameter-Thread-Length									
223-045		1/4" -20X5/16"	.06	10/.40	10/.50						
											
		229 - SLOTTED HEADLESS SET SCREW-CUP POINT (NC-2 & NC-3) Diameter-Thread-Length									
229-#8-4	(100X47)	No. 8-32X1/4"	.02	20/.20	20/.25						
229-#10-5		No. 10-24X5/16"	.04	4/.08	4/.10						
229-046	(100X3)	1/4" -20X3/8"	.05	10/.25	10/.31						
											
		251 - LIGHT HEX. NUT-STANDARD, STEEL (NC-2) Diameter-Thread									
251-04	(20X81)	1/4" -20	.02	50/.50	50/.63						
251-05	(20X82)	5/16" -18	.02	24/.24	24/.30						
251-06	(20X83)	3/8" -16	.03	20/.30	20/.38						
251-07	(20X84)	7/16" -14	.04	15/.30	15/.38						
251-08	(20X85)	1/2" -13	.05	10/.25	10/.31						
251-10	(20X87)	5/8" -11	.08	5/.25	5/.31						
											
		252 - LIGHT HEX. NUT-STANDARD, STEEL (NF-2) Diameter-Thread									
252-04	(21X161)	1/4"-28	.01	48/.25	48/.31						
252-05	(21X2)	5/16"-24	.02	24/.24	24/.30						
252-06	(21X3)	3/8"-24	.03	24/.36	24/.45						
252-07	(21X164)	7/16"-20	.03	10/.20	10/.25						
252-08	(21X5)	1/2"-20	.05	10/.25	10/.31						
252-09	(21X6)	9/16"-18	.05	10/.25	10/.31						
252-10	(21X7)	5/8"-18	.07	10/.40	10/.50						
252-12	(21X169)	3/4"-16	.08	4/.16	4/.20						
											
		254 - LIGHT HEX. NUT-STANDARD, BRASS (NF-2) Diameter-Thread									
254-05	(21X17)	5/16"-24	.03	10/.20	10/.25						
254-06	(21X14)	3/8"-24	.05	10/.30	10/.38						
254-07	(21X165)	7/16"-20	.05	4/.12	4/.15						
											
		255 - LIGHT HEX. NUT-THIN, STEEL (NC-2) Diameter-Thread									
											
		260 - SLOTTED HEX. NUT-STANDARD (NF-2) Diameter-Thread									
260-12		3/4"-16	.15	4/.30	4/.38						
											
		262 - CASTLE NUT, STEEL (NF-2) Diameter-Thread									
262-06	(23X3)	3/8"-24	.04	10/.20	10/.25						
262-08	(23X5)	1/2"-20	.06	10/.30	10/.38						
262-09		9/16"-18	.10	4/.20	4/.25						
262-10	(23X7)	5/8"-18	.12	.06	.08						
											
		263 - HEX. LOCK NUT (MARSDEN)-STANDARD, STEEL (NC-2) Diameter-Thread									
263-07	(22X317)	7/16"-14	.05	10/.25	10/.31						
											
		264 - HEX. LOCK NUT (MARSDEN)-STANDARD, STEEL (NF-2) Diameter-Thread									
264-06	(22X313)	3/8"-24	.03	10/.20	10/.25						
264-07	(22X318)	7/16"-20	.05	10/.25	10/.31						
											
		279 - MACHINE SCREW HEX. NUT-STEEL (NC-2) Diameter-Thread									
279-#6	(24X42)	No. 6-32	.01	72/.24	72/.30						
279-#8	(24X43)	No. 8-32	.01	72/.24	72/.30						
279-#10	(24X44)	No. 10-24	.01	100/.35	100/.44						
279-#12	(24X45)	No. 12-24	.01	48/.24	48/.30						
											
		280 - MACHINE SCREW HEX. NUT, STEEL (NF-2) Diameter-Thread									
280-#10	(24X52)	No. 10-32	.01	60/.25	60/.31						

PARTS PRICE LIST













437-

PART NUMBER		NAME	LIST PRICE	DEALER NET	PREF. NET	PART NUMBER		NAME	LIST PRICE	DEALER NET	PREF. NET
NEW	OLD					NEW	OLD				
282 - MACHINE SCREW HEX. NUT, BRASS (NF-2) Diameter-Thread						367 - PLAIN WASHER - LARGE, STEEL Nominal Size					
282-#10	(24X170)	No. 10-32	.02	24/.24	24/.30	367-05	5/16"	.01	20/.10	20/.13	
											
295 - WING NUT (NC-2) Diameter-Thread						374 - FINISH WASHER, BRASS Nominal Size					
295-04	(1441X3)	1/4"-20	.05	10/.25	10/.31	374-#6W	(692X1W) No. 6	3/.05	24/.20	24/.25	
295-06	(1441X5)	3/8"-16	.09	.05	.06						
295-07		7/16"-14	.15	.09	.11	380 - LOCK WASHER - MEDIUM Nominal Size					
											
299 - ANCHOR NUT (NC-2) Diameter-Thread						380-#8					
299-05-095		5/16"-18	.05	10/.30	10/.38	No. 8					
						380-#12					
306 - PAL (STAMPED) NUT (FINE THREAD) Diameter-Thread						No. 12					
306-05	(1522X5)	5/16"-24	.01	48/.24	48/.30	5/16"					
306-06	(1522X4)	3/8"-24	.01	50/.25	50/.31	3/8"					
						380-05					
309 - ACORN NUT (STAMPED) (COARSE THREADS) Diameter-Thread						5/16"					
309-04		1/4"-20	.03	.02	.03	380-06					
						3/8"					
351 - HEX. MACHINE SCREW NUT AND EXTERNAL TOOTH LOCK WASHER ASSY. (NC-2) Diameter-Thread						380-07					
351-#6		No. 6-32	.03	10/.15	.02	7/16"					
351-#10		No. 10-24	.03	2/.03	.02	380-08					
						380-09					
361 - PLAIN WASHER - SMALL, STEEL Nominal Size						380-10					
361-#6	(41X505)	No. 6	2/.01	100/.25	100/.31	3/4"					
361-#8	(41X507)	No. 8	.01	20/.10	20/.13	384 - EXTERNAL TOOTH LOCK WASHER Nominal Size					
361-#10	(41X509)	No. 10	.01	48/.24	48/.30	384-#8					
361-05		5/16"	.01	50/.25	50/.31	(84X2) No. 8					
361-07	(41X519)	7/16"	.02	25/.25	25/.31	384-#10					
361-09	(41X522)	9/16"	.03	10/.15	10/.19	(84X3) No. 10					
361-10		5/8"	.02	20/.20	20/.25	384-04					
361-16	(41X533)	1"	.05	10/.30	10/.38	(84X4) 1/4"					
						384-05					
437 - CLEVIS PIN (NOT HARDENED) Diameter-Length to Pin Hole						5/16"					
437-0312		3/16"X5/8"	.05	8/.20	8/.25	384-06					
						3/8"					













PARTS PRICE LIST

PART NUMBER		NAME	LIST PRICE	DEALER NET	PREF. NET	PART NUMBER		NAME	LIST PRICE	DEALER NET	PREF. NET
NEW	OLD					NEW	OLD				
438 - CLEVIS PIN (CYANIDE HARDENED) Diameter-Length to Pin Hole											
438-0410	(42X56)	1/4"X1/2"	.03	20/.30	20/.38	472 - HOSE CLAMP-FLAT TYPE Diameter					
438-0412	(42X1)	1/4"X19/32"	.03	5/.10	5/.13	472-11	(61X24)	11/16"	.07	5/.20	5/.25
438-0417	(42X36)	1/4"X15/16"	.03	10/.20	10/.25	472-15	(61X20)	15/16"	.07	5/.20	5/.25
438-0512		5/16"X9/16"	.05	4/.10	4/.13	472-26	(61X5)	1-5/8"	.10	5/.25	5/.31
438-0519	(42X57)	5/16"X1"	.05	10/.25	10/.31	472-29	(61X6)	1-13/16"	.10	5/.25	5/.31
438-0520		5/16"X1-1/8"	.06	10/.30	10/.38	472-38	(61X11)	2-3/8"	.10	5/.25	5/.31
438-0616	(42X10)	3/8"X27/32"	.05	8/.20	8/.25	472-42	(61X12)	2-5/8"	.08	.04	.06
438-0618		3/8"X31/32"	.05	10/.25	10/.31						
439 - GROOVED STRAIGHT PIN Diameter-Length						477 - EXPANSION PLUG Diameter					
439-0510		5/32"X5/8"	.03	.02	.03	477-17		1-1/16"	.05	5/.15	5/.19
						480 - BUTTON PLUG, STEEL Hole Diameter					
446 - SQUARE END STRAIGHT PIN, STEEL Diameter-Length						480-32P		1"	.10	.06	.08
446-0416	(4X178)	1/8"X1"	.02	10/.10	10/.13	480-48P		1-1/2"	.10	.06	.08
446-0622	(4X20)	3/16"X1-3/8"	.03	.02	.03						
						495 - ANNULAR GASKET (COPPER & ASBESTOS) Diameter					
450-1020		5/32"X1-1/4"	.07	8/.32	8/.40	495-05		Use 156768			
450-1022		Use 450-1020				495-06		Use 5960			
450 - TAPER PIN, STEEL Diameter-Length						495-07		7/16"	.02	10/.10	10/.13
450-1020		5/32"X1-1/4"	.07	8/.32	8/.40	495-12		Use 168011			
450-1022		Use 450-1020									
460 - WOODRUFF KEY, CARBON STEEL Number-Size						515 - INVERTED FLARED TUBE NUT, STEEL Tubing O.D.					
460-405	(3X9)	No. 5-1/8"X5/8"	.02	20/.20	20/.25	515-03	(187790)	3/16"	ea. .05	.03	.04
461 - WOODRUFF KEY, ALLOY STEEL Number-Size						515-04	(185014)	1/4"	ea. .10	.05	.06
461-404		1/8"X1/2"	.02	.01	.01	515-05	(185160)	5/16"	ea. .10	.05	.06
461-606	(3X18)	No. 9-3/16"X3/4"	.03	10/.20	10/.25						
461-808	(3X32)	No. 15-1/4"X1"	.03	10/.15	10/.19	517 - INVERTED FLARED TUBE UNION Tubing O.D.					
470 - BEARING BALL Diameter						517-04		1/4"	ea. .17	.09	.11
470-08	(1X25)	1/4"	.02	20/.20	20/.25	In Pkgs. of 10					
470-10	(1X33)	5/16"	.02	22/.22	22/.28						
470-12	(1X43)	3/8"	.02	20/.20	20/.25						

PARTS PRICE LIST













PART NUMBER		NAME	LIST PRICE	DEALER NET	PREF. NET	PART NUMBER		NAME	LIST PRICE	DEALER NET	PREF. NET
NEW	OLD					NEW	OLD				
											
		518 - INVERTED FLARED TUBE NIPPLE OR CONNECTOR, BRASS									
		Tube Diameter	Pipe Thread								
518-03	(187792)	3/8"-1/8"	ea. .12	.06	.08						
		In Pkgs. of 10									
518-04	(511288)	1/4"-1/8"	ea. .12	.06	.08						
		In Pkgs. of 20									
											
		520 - INVERTED FLARED TUBE ELBOW - 90°, BRASS									
		Nut End	Pipe Thread								
520-03	(187795)	3/8"-1/8"	.15	5/.40	5/.50						
520-04	(187776)	7/16"-1/8"	.17	.09	.11						
520-05	(189965)	1/2"-1/8"	.17	.09	.11						
											
		521 - INVERTED FLARED TUBE ELBOW - 45°, BRASS									
		Nut End	Pipe Thread								
521-04		3/8"-1/8"	.17	.09	.11						
521-05		1/2"-1/8"	.30	.15	.19						
											
		541 - SEAMLESS COPPER TUBING									
		O.D. - Wall Thickness									
541-03	(107X)	3/16"-.028	Ft. .10	.06	.08						
541-04	(108X)	Use 542-04									
541-05	(109X)	5/16"-.028	Ft. .16	.10	.13						
541-08		1/2"-.035	Ft. .35	.21	.26						
											
		542 - SEAMLESS COPPER TUBING									
		O.D. - Wall Thickness									
542-04	(137X)	1/4"-.035	Ft. .15	.09	.11						
											
		546 - SQUARE HEAD PIPE PLUG, CAST IRON									
		Diameter									
546-06	(47X3)	Use 547-06									
546-12	(47X5)	3/4"	.10	.05	.06						
											
		547 - SQUARE HEAD PIPE PLUG, STEEL									
		Diameter									
547-02	(47X25)	1/8"	.03	5/.10	5/.13						
547-04		1/4"	.05	.03	.04						
547-06		3/8"	.05	.03	.04						
547-08		1/2"	.10	.06	.08						
547-12	(47X24)	Use 546-12									
											
		551 - COUNTERSUNK HEADLESS PIPE PLUG, STEEL									
		Diameter									
551-04	(48X2)	1/4"	.05	4/.12	4/.15						
551-12	(48X5)	3/4"	.15	.09	.11						
											
		587 - DRAIN COCK, STRAIGHT									
		Taper Pipe Thread									
587-04	(190485)	1/4"	.50	.25	.31						
											
		599 - ROUND HEAD SLOTTED SELF-TAPPING SCREW -									
		WIDE SLOT									
		Diameter-Length									
599-049		1/4"X9/16"	.03	10/.20	10/.25						
											
		608 - OVAL HEAD SLOTTED SELF-TAPPING SCREW									
		Diameter-Length									
608-#6-14W	(617X6W)	No. 6X7/8"	.03	24/.36	24/.45						
608-#6-16W	(617X10W)	No. 6X1"	12/.20	12/.10	12/.13						
608-#6-20W	(617X11W)	No. 6X1-1/4"	.03	24/.36	24/.45						
608-#10-32	(617X24)	No. 10X2"	.04	20/.40	20/.50						
											
		614 - BINDING HEAD SLOTTED SELF-TAPPING SCREW									
		Diameter-Length									
614-#6-8	(618X9)	No. 6X1/2"	12/.08	72/.24	72/.30						
614-#8-4	(618X23)	No. 8X1/4"	.02	50/.50	50/.63						
614-#8-8	(618X3)	No. 8X1/2"	.01	50/.25	50/.31						
614-#8-16	(618X29)	No. 8X1"	.01	50/.25	50/.31						
614-#10-8	(618X10)	No. 10X1/2"	.01	48/.24	48/.30						
614-#14-8	(618X11)	No. 14X1/2"	4/.05	48/.30	48/.38						

PARTS PRICE LIST






PART NUMBER		NAME	LIST PRICE	DEALER NET	PREF. NET	PART NUMBER		NAME	LIST PRICE	DEALER NET	PREF. NET
NEW	OLD					NEW	OLD				
											
		615 - BINDING HEAD SLOTTED SELF-TAPPING SCREW - FLAT POINT Diameter-Length					632 - CROSS RECESS OVAL HEAD SELF-TAPPING SCREW Diameter-Length				
615-#6-4	(618X32)	No. 6X1/4"	12/.08	72/.24	72/.30	632-#4-16W (1526X24W)	No. 4X1"	.02	24/.24	24/.30	
						632-#6-12W (1526X2W)	No. 6X3/4"	.02	20/.20	20/.25	
						632-#6-20W (1526X4W)	No. 6X1-1/4"	.02	20/.20	20/.25	
						632-#8-14W (1526X19W)	No. 8X7/8"	.02	20/.20	20/.25	
											
		618 - BINDING HEAD SLOTTED SELF-TAPPING SCREW GROOVED-FLAT POINT Diameter-Length					633 - CROSS RECESS OVAL HEAD SELF-TAPPING SCREW - FLAT POINT Diameter-Length				
618-#6-8		No. 6-32X1/2"	.03	5/.10	5/.13	633-#8-8W	No. 8X1/2"	.03	20/.30	20/.38	
											
		620 - CROSS RECESS ROUND HEAD SELF-TAPPING SCREW Diameter-Length					638 - CROSS RECESS BINDING HEAD SELF-TAPPING SCREW Diameter-Length				
620-#8-8W		No. 8X1/2"	.03	5/.10	5/.13	638-#6-6" (1535X3)	No. 6X3/8"	4/.05	36/.24	36/.30	
						638-#8-6 (1535X6)	No. 8X3/8"	4/.05	3/.02	.01	
						638-#8-8	No. 8X1/2"	.02	20/.20	20/.25	
						638-#8-10 (1535X1)	No. 8X5/8"	.02	20/.20	20/.25	
						638-#10-10 (1535X2)	No. 10X5/8"	4/.05	36/.24	36/.30	
											
		621 - CROSS RECESS ROUND HEAD SELF-TAPPING SCREW - FLAT POINT Diameter-Length					641 - CROSS RECESS BINDING HEAD SELF-TAPPING SCREW STAINLESS STEEL Diameter-Length				
621-#14-20		No. 14X1-1/4"	.03	10/.20	10/.25	641-#6-8	No. 6X1/2"	.03	20/.30	20/.38	
											
		624 - CROSS RECESS STOVE HEAD SELF-TAPPING SCREW Diameter-Length					650 - HEX. WASHER HEAD SELF-TAPPING SCREW - (COARSE THREAD) Diameter-Length				
624-#6-8		No. 6X1/2"	.01	20/.13	20/.16	650-0416	1/4"X1"	.03	10/.20	10/.25	
624-#8-6		No. 8X3/8"	12/.15	12/.08	12/.10	650-058 (1501X2)	5/16"X1/2"	.03	10/.20	10/.25	
						650-0510	5/16"X5/8"	.03	10/.20	10/.25	
											
		626 - CROSS RECESS FLAT HEAD SELF-TAPPING SCREW Diameter-Length					651 - HEX. WASHER HEAD SELF-TAPPING SCREW - (EXTRA COARSE THREAD) Diameter-Length				
626-#6-8	(1533X1)	No. 6X1/2"	.01	2/.01	3/.02	651-#10-8 (1501X4)	No. 10X1/2"	.03	10/.15	10/.19	
626-#8-10		No. 8X5/8"	.02	.01	.01	651-#14-14 (1501X8)	No. 14X7/8"	.03	10/.15	10/.19	

PARTS PRICE LIST

1023-

PART NUMBER		NAME	LIST PRICE	DEALER NET	PREF. NET	PART NUMBER		NAME	LIST PRICE	DEALER NET	PREF. NET
NEW	OLD					NEW	OLD				
											
		653 - HEX. WASHER HEAD SELF-TAPPING SCREW WIDE SLOT Diameter-Thread-Length						730 - ANGULAR GREASE FITTING With Ball and Spring Standard Pipe Thread			
653-#10-6		No. 10-24X3/8"	.02	10/.10	10/.13	730-02	(634049)	1/8"(67-1/2° Angle)	.12	4/.28	4/.35
											
		701 - GREASE CUP Pipe Thread						734 - ANGULAR GREASE FITTING With Ball and Spring Standard Straight Thread			
701-02-13	(50X11)	1/8"	.17	.10	.13	734-04	(196459)	1/4" (90° Angle)	.16	.09	.12
											
		711 - OIL CUP Diameter						805 - HEX. HEAD MACHINE SCREW-CONE POINT AND SPRING LOCK WASHER ASSY. (NC-2) Diameter-Thread-Length			
711-04	(188624) (512761)	1/4"	.10	.06	.08	805-0520		5/16"-18X1-1/4"	.06	.03	.04
											
		718 - STRAIGHT GREASE FITTING With Ball and Spring Special Taper Thread						943 - TRUSS HEAD SLOTTED MACHINE SCREW AND EXTERNAL-INTERNAL TOOTH LOCK WASHER ASSY. -CONE POINT (NC-2) Diameter-Thread-Length			
718-04	(188641)	1/4"	.12	4/.28	4/.35	943-#10-12		No. 10-24X3/4"	.03	10/.15	10/.19
											
		720 - STRAIGHT GREASE FITTING With Ball and Spring Standard Straight Thread						1017 - ROUND HEAD RECESSED MACHINE SCREW AND SPRING LOCK WASHER ASSY. (NC-2) Diameter-Thread-Length			
720-04	(196325)	1/4"	.10	4/.24	4/.30	1017-#10-12		No. 10-24X3/4"	.03	10/.20	10/.25
											
		723 - STRAIGHT GREASE FITTING With Ball and Spring -Drive Base Body Diameter						1023 - ROUND HEAD RECESSED MACHINE SCREW AND EXTERNAL TOOTH LOCK WASHER ASSY. (NC-2) Diameter-Thread-Length			
723-03	(181506)	3/16"	.06	.03	.04	1023-#10-4		No. 10-24X1/4"	.02	10/.10	10/.13
						1023-#10-7		No. 10-24X7/16"	.02	10/.10	10/.13

PARTS PRICE LIST

PART NUMBER		NAME	LIST PRICE	DEALER NET	PREF. NET	PART NUMBER		NAME	LIST PRICE	DEALER NET	PREF. NET
NEW	OLD					NEW	OLD				
											
1027 - ROUND HEAD RECESSED MACHINE SCREW - CONE POINT AND EXTERNAL TOOTH LOCK WASHER ASSY. (NC-2) Diameter-Thread-Length											
1027	#12-28	No. 12-24X1-3/4"	.05	10/.30	10/.38						
											
1052 - FLAT HEAD RECESSED MACHINE SCREW - CONE POINT AND EXTERNAL TOOTH LOCK WASHER ASSY. (NF-2) Diameter-Thread-Length											
1052	0512	5/16"-24X3/4"	.05	.03	.04						
											
1076 - OVAL HEAD RECESSED MACHINE SCREW - CONE POINT AND EXTERNAL TOOTH LOCK WASHER ASSY. (NF-2) Diameter-Thread-Length											
1076	0512	5/16"-24X3/4"	.05	10/.30	10/.38						
1076	0520	5/16"-24X1-1/4"	.05	10/.30	10/.38						
											
1095 - TRUSS HEAD RECESSED MACHINE SCREW AND EXTERNAL TOOTH LOCK WASHER ASSY. (NC-2) Diameter-Thread-Length											
1095	#10-6	No. 10-24X3/8"	.03	10/.15	10/.19						
											
1149 - PAN HEAD RECESSED MACHINE SCREW AND INTERNAL TOOTH LOCK WASHER ASSY. (NC-2) Diameter-Thread-Length											
1149	#8-6	No. 8-32X3/8"	.03	10/.15	10/.19						